
User
APP - Native
nginx
APP-Service
Sentry
Memcached
First Time Access
1: Load APP Main View
1.1: Check if JWT is present in iOS Store
1.2: Load Login View,
2: User enters UName, Pwd
2.1: <APPDomain>/authenticate?UName, Pwd & ...
3: proxyPass request
3.1: Validate Credentials
3.2: create JWT and attach to response header
3.3: set(TokenID, JWTSession{LAST_ACCESSED_TIME, SESSION_TIME_OUT, FINGER_PRINT})
3.4: Response with X-AUTH-TOKEN header
3.4.1: store X-AUTH-TOKEN in iOS store
3.4.2: https://<APPDomain>/mainPageAPI with X-AUTH-TOEKN HEADER
3.4.2.1: extract TokenID from Header
3.4.2.2: get(TokenID)
3.4.2.3: JWTSession{LAST_ACCESSED_TIME, SESSION_TIME_OUT, FINGER_PRINT}
3.4.2.4: Validate the JWT
3.4.2.5: proxypass http://<APPDomain>/mainPageAPI
3.4.2.5.1: Response for http://<APPDomain>/mainPageAPI
3.4.2.5.1.1: Load APP Main View
3.4.2.6: JWT Invalid with Error Message
3.4.2.6.1: Load Login View,
Powered ByVisual Paradigm Community Edition